Vol. 37
Index

2003

Index of Authors

Abeysekera, K.H.T. *see* Paranagama, P.A.
Abeywickrama, K. *see* Paranagama, P.A.
Adak, M. *see* Chowdhury, B.
Aguilar-Uscanga, B. & François, J.M. A study of the yeast cell wall composition and structure in response to growth conditions and mode of cultivation, 268
Ahrné, S. *see* Olsson, C.
Akhtar, N., Iqbal, J. & Iqbal, M. Microalgal-luffa sponge immobilized disc: a new efficient biosorbent for the removal of Ni(II) from aqueous solution, 149
Al Jassim, R.A.M. *Lactobacillus ruminis* is a predominant lactic acid producing bacterium in the caecum and rectum of the pig, 213
Alba, J., Conde, E. & Pérez-Guevara, F. Degradation of the main components of cellulose-paint thinner by the mould *Scopulariopsis brevicaulis* cultured on rice hulls, 7
Almeida, A.M.P. *see* Melo, A.C.
Amaral, A.L. *see* Dias, N.
Anderson, R.C. *see* Fitzgerald, A.C.
Angelini, R. *see* Galli, E.
Araujo, M. *see* Deza, M.A.
Ariyada, O. *see* Purevdorj, D.
Arqués, J.L. *see* Rodríguez, E.
Ashbolt, N.J. *see* Lepesteur, M.
Aureli, P. *see* Oliva, B.
Autio, T. *see* Peccio, A.
Axelsson, L., Lindstad, G. & Naterstad, K. Development of an inducible gene expression system for *Lactobacillus sakei*, 115

Bailey, D.G. *see* McEvoy, J.M.
Barbosa, H.R. *see* Thuler, D.S.
Bavor, H.J. *see* Davies, C.M.
Belo, I. *see* Pinheiro, R.
Benson, J.A. *see* Fode-Vaughan, K.A.
Bernardo, A. *see* Martínez, S.
Bhat, M.A. *see* Wani, S.A.
Bischoff, K.M. *see* Fitzgerald, A.C.
Blair, I.S. *see* McEvoy, J.M.
Blasdall, S. *see* Lepesteur, M.
Bläsi, U. *see* Hagens, S.
Bose, S.K. *see* Chowdhury, B.
Buchh, A.S. *see* Wani, S.A.

Callaway, T.R. *see* Fitzgerald, A.C.
Caruso, G., Genovese, L., Mancuso, M. & Modica, A. Effects of fish farming on microbial enzyme activities and densities: comparison between three Mediterranean sites, 324
Cavalcanti, E.D.C. *see* Reis, S.A.
Ceddia, T. *see* Oliva, B.
Chae, C. *see* Cho, W.-S.
Chakraborti, A. *see* Yadav, M.C.
Chang, C.L. *see* Park, T.S.
Chang, Y.-H. *see* Štyriak, I.
Chart, H. *see* Dalwai, F.
Cheasty, T. *see* Domingue, G.
Cheasty, T. *see* Jenkins, C.
Chen, J.C., Lin, Z.H. & Ma, X.X. Evidence of the production of silver nanoparticles via pretreatment of *Phoma* sp.3.2883 with silver nitrate, 105
Cho, W.-S. & Chae, C. PCR detection of *Actinobacillus pleuropneumoniae apx*IV gene in formalin-fixed, paraffin-embedded lung tissues and comparison with *in situ* hybridization, 56
Chowdhury, B., Adak, M. & Bose, S.K. Flurbiprofen, a unique non-steroidal anti-inflammatory drug with antimicrobial activity against *Trichophyton, Microsporum* and *Epidermophyton* species, 158
Coelho, R.R.R. *see* Reis, S.A.
Collins, M.L.P. *see* Fode-Vaughan, K.A.
Combina, M. *see* Magnoli, C.
Conde, E. *see* Alba, J.
Costa, L.V. *see* Reis, S.A.
Craynest, M., Jørgensen, S., Sarvas, M. & Kontinen, V.P. Enhanced secretion of heterologous cyclodextrin glycosyltransferase by a mutant of *Bacillus licheniformis* defective in the D-alanylation of teichoic acids, 75

Dalcero, A. *see* Magnoli, C.
Dalwai, F. & Chart, H. Human antibody responses to R3-core epitopes on the lipopolysaccharide of *Escherichia coli* O157, 429
Damaso, C.R.A. *see* Reis, S.A.
Darcan, C., Özkanca, R. & Flint, K.P. Survival of nonspecific porin-deficient mutants of *Escherichia coli* in black sea water, 380
Davies, C.M., Yousefi, Z. & Bavor, H.J. Occurrence of coliphages in urban stormwater and their fate in stormwater management systems, 299
De Luca, G. *see* Zanetti, F.
Debevere, J. *see* Francois, K.
Debevere, J. *see* Uyttendaele, M.
Devlieghere, F. *see* Francois, K.
Deza, M.A., Araujo, M. & Garrido, M.J. Inactivation of *Escherichia coli* O157:H7, *Salmonella enteritidis* and *Listeria monocytogenes* on the surface of tomatoes by neutral electrolyzed water, 482
Di Mario, F. *see* Galli, E.

Dias, N., Amaral, A.L., Ferreira, E.C. & Lima, N. Automated image analysis to improve bead ingestion toxicity test counts in the protozoan *Tetrahymena pyriformis*, 230
Diaz, P. *see* Ruiz, C.
Dicks, L.M.T. *see* Toit, M.Du.
Dickson, J.S. *see* Niebuhr, S.E.
Doherty, A.M. *see* McEvoy, J.M.
Domingue, G., Willshaw, G.A., Smith, H.R., Perry, N., Radford, D. & Cheasty, T. DNA-based subtyping of verocytotoxin-producing *Escherichia coli* (VTEC) O128ab:H2 strains from human and raw meat sources, 433
Donaghy, J.A., Totton, N.L. & Rowe, M.T. Evaluation of culture media for the recovery of *Mycobacterium avium* subsp. *paratuberculosis* from Cheddar cheese, 285
Dougan, G. *see* Jenkins, C.
Duncanson, P., Wareing, D.R.A. & Jones, O. Application of an automated immunomagnetic separation-enzyme immunoassay for the detection of *Salmonella* spp. during an outbreak associated with a retail premises, 144
Dykes, G.A., Vegar, M. & Vanderlinde, P.B. Quantification of *Listeria* spp. contamination on shell and flesh of cooked black tiger prawns (*Penaeus monodon*), 309

Edrington, T.S. *see* Fitzgerald, A.C.
El-Din, M.Z. *see* Nassib, T.A.
El-Sharoud, W.M. *see* Nassib, T.A.
Etoh, H. *see* Sato, M.

Fernández-García, E. *see* Morales, P.
Ferreira, E.C. *see* Dias, N.
Ferrini, A.M. *see* Oliva, B.
Figueras, M.J. *see* Park, T.S.
Fitzgerald, A.C., Edrington, T.S., Looper, M.L., Callaway, T.R., Genovese, K.J., Bischoff, K.M., McReynolds, J.L., Thomas, J.D., Anderson, R.C. & Nisbet, D.J. Antimicrobial susceptibility and factors affecting the shedding of *E. coli* O157:H7 and *Salmonella* in dairy cattle, 392
Fitzgerald, D.J. *see* Olasupo, N.A.
Flint, K.P. *see* Darcan, C.
Floh, E.I.S. *see* Thuler, D.S.
Fode-Vaughan, K.A., Maki, J.S., Benson, J.A. & Collins, M.L.P. Direct PCR detection of *Escherichia coli* O157:H7, 239
Foster, G. *see* Jenkins, C.
François, J.M. *see* Aguilar-Uscanga, B.
Francois, K., Devlieghere, F., Standaert, A.R., Geeraerd, A.H., Van Impe, J.F. & Debevere, J. Modelling the individual cell lag phase. Isolating single cells: protocol development, 26
Frankel, G. *see* Jenkins, C.
Fujimoto, Y. *see* Nakagawa, T.

Galli, E., Di Mario, F., Rapanà, P., Lorenzoni, P. & Angelini, R. Copper biosorption by *Auricularia polytricha*, 133
Garrido, M.J. *see* Deza, M.A.
Gasson, M.J. *see* Olasupo, N.A.
Geeraerd, A.H. *see* Francois, K.
Genovese, K.J. *see* Fitzgerald, A.C.
Genovese, L. *see* Caruso, G.
Giambiagi-deMarval, M. *see* Reis, S.A.
Gibson, G.R. *see* Palframan, R.
González, M.P. *see* Vázquez, J.A.
Guan, Y., Kurisu, F., Satoh, H. & Mino, T. A quantitative method for measuring the mass concentration of the filamentous bacterium Type 021N in activated sludge using fluorescence *in situ* hybridization, 100
Guerra, N.P. & Pastrana, L. Influence of pH drop on both nisin and pediocin production by *Lactococcus lactis* and *Pediococcus acidilactici*, 51
Gunn, G.J. *see* Jenkins, C.

Haga, S., Hirano, Y., Murayama, O., Millar, B.C., Moore, J.E. & Matsuda, M. Structural analysis and genetic variation of the 16S–23S rDNA internal spacer region from *Micrococcus luteus* strains, 314
Hagens, S. & Bläsi, U. Genetically modified filamentous phage as bactericidal agents: a pilot study, 318
Hale, C.N. *see* Taylor, R.K.
Handro, W. *see* Thuler, D.S.
Hayakawa, I. *see* Purevdorj, D.
Hindrichsen, I.K. *see* Soliva, C.R.
Hirano, Y. *see* Haga, S.
Hola, K., Janata, J., Kopecky, J. & Spizek, J. LmbJ and LmbIH protein levels correlate with lincomycin production in *Streptomyces lincolnensis*, 470
Holzapfel, W.H. *see* Toit, M.Du.
Hope, R. & Magan, N. Two-dimensional environmental profiles of growth, deoxynivalenol and nivalenol production by *Fusarium culmorum* on a wheat-based substrate, 70

Igura, N. *see* Purevdorj, D.
Iqbal, J. *see* Akhtar, N.

Iqbal, M. *see* Akhtar, N.
Ito, K. *see* Kumagai, K.
Iwasaki, H. *see* Kumagai, K.

Jagannath, A. & Tsuchido, T. Validation of a polynomial regression model: the thermal inactivation of *Bacillus subtilis* spores in milk, 399
Janata, J. *see* Hola, K.
Javier Pastor, F.I. *see* Ruiz, C.
Jayakumar, R. *see* Vaseeharan, B.
Jenkins, C., Pearce, M.C., Smith, A.W., Knight, H.I., Shaw, D.J., Cheasty, T., Foster, G., Gunn, G.J., Dougan, G., Smith, H.R. & Frankel, G. Detection of *Escherichia coli* serogroups O26, O103, O111 and O145 from bovine faeces using immunomagnetic separation and PCR/DNA probe techniques, 207
Joblin, K.N. *see* van de Vossenberg, J.L.C.M.
Jones, K. *see* Obiri-Danso, K.
Jones, O. *see* Duncanson, P.
Jørgensen, S. *see* Craynest, M.
Juneja, V.K. A comparative heat inactivation study of indigenous microflora in beef with that of *Listeria monocytogenes, Salmonella* serotypes and *Escherichia coli* O157:H7, 292

Kim, C.J. *see* Lee, J.C.
Kim, Y.B. *see* Lee, J.C.
Knight, H.I. *see* Jenkins, C.
Koidis, P. *see* Soultos, N.
Kontinen, V.P. *see* Craynest, M.
Kopecky, J. *see* Hola, K.
Korkeala, H. *see* Peccio, A.
Kreuzer, M. *see* Soliva, C.R.
Kumagai, K., Sugano, N., Takane, M., Iwasaki, H., Tanaka, H., Yoshinuma, N., Suzuki, K. & Ito, K. Detection of *Streptococcus anginosus* from saliva by real-time polymerase chain reaction, 370
Kumagai, T. *see* Sato, T.
Kurisu, F. *see* Guan, Y.
Kwon, J.A., Yu, C.B. & Park, H.D. Bacteriocidal effects and inhibition of cell separation of cinnamic aldehyde on *Bacillus cereus*, 61

Lapa, S.V. *see* Sorokulova, I.B.
Leal, N.C. *see* Melo, A.C.
Lee, E.Y. *see* Park, T.S.
Lee, H.B. *see* Lee, J.C.
Lee, J.C., Park, H.R., Park, D.J., Lee, H.B., Kim, Y.B. & Kim, C.J. Improved production of teicoplanin using adsorbent resin in fermentations, 196
Lee, T.K. *see* Park, T.S.
Lepesteur, M., Blasdall, S. & Ashbolt, N.J. Particle dispersion for further *Cryptosporidium* and *Giardia* detection by flow cytometry, 218
Li, X. & Ricke, S.C. Generation of an *Escherichia coli lysA* targeted deletion mutant by double cross-over recombination for potential use in a bacterial growth-based lysine assay, 458
Liao, C.-H. & Shollenberger, L.M. Survivability and long-term preservation of bacteria in water and in phosphate-buffered saline, 45
Lima, N. *see* Dias, N.
Lin, Z.H. *see* Chen, J.C.
Lindstad, G. *see* Axelsson, L.
Ljungh, Å. *see* Štyriak, I.
Looper, M.L. *see* Fitzgerald, A.C.
López, M. *see* Martínez, S.
Lorenzoni, P. *see* Galli, E.

Ma, X.X. *see* Chen, J.C.
McDowell, D.A. *see* McEvoy, J.M.
McEvoy, J.M., Doherty, A.M., Sheridan, J.J., Bailey, D.G., Blair, I.S. & McDowell, D.A. The effects of treating bovine hide with steam at subatmospheric pressure on bacterial numbers and leather quality, 344
Machmüller, A. *see* Soliva, C.R.
McReynolds, J.L. *see* Fitzgerald, A.C.
Madden, R.H. *see* Soultos, N.
Magan, N. *see* Hope, R.
Magnoli, C., Violante, M., Combina, M., Palacio, G. & Dalcero, A. Mycoflora and ochratoxin-producing strains of *Aspergillus* section Nigri in wine grapes in Argentina, 179
Majumdar, S. *see* Yadav, M.C.
Maki, J.S. *see* Fode-Vaughan, K.A.
Mancuso, M. *see* Caruso, G.
Martínez, S., López, M. & Bernardo, A. Thermal inactivation of *Enterococcus faecium*: effect of growth temperature and physiological state of microbial cells, 475
Maruhashi, K. *see* Noda, K.
Matsuda, M. *see* Haga, S.
Matsuyama, J. *see* Sato, T.
Mayanagi, G. *see* Sato, T.
Medina, M. *see* Rodríguez, E.
Meile, L. *see* Soliva, C.R.
Melo, A.C., Almeida, A.M.P. & Leal, N.C. Retrospective study of a plague outbreak by multiplex-PCR, 361

Millar, B.C. *see* Haga, S.
Minahk, C.J. & Morero, R.D. Inhibition of enterocin CRL_{35} antibiotic activity by mono- and divalent ions, 374
Mino, T. *see* Guan, Y.
Miyaji, T. *see* Nakagawa, T.
Modica, A. *see* Caruso, G.
Molin, G. *see* Olsson, C.
Moore, J.E. *see* Haga, S.
Morales, P., Fernández-García, E. & Nuñez, M. Caseinolysis in cheese by Enterobacteriaceae strains of dairy origin, 410
Morero, R.D. *see* Minahk, C.J.
Mota, M. *see* Pinheiro, R.
Moussatché, N. *see* Reis, S.A.
Murado, M.A. *see* Vázquez, J.A.
Murayama, O. *see* Haga, S.
Myers, C.R. *see* Myers, J.M.
Myers, C.R. & Myers, J.M. Cell surface exposure of the outer membrane cytochromes of *Shewanella oneidensis* MR-1, 254
Myers, J.M. *see* Myers, C.R.
Myers, J.M. & Myers, C.R. Overlapping role of the outer membrane cytochromes of *Shewanella oneidensis* MR-1 in the reduction of manganese(IV) oxide, 21

Nakagawa, T., Fujimoto, Y., Uchino, M., Miyaji, T., Takano, K. & Tomizuka, N. Isolation and characterization of psychrophiles producing cold-active β-galactosidase, 154
Narang, A. *see* Yadav, M.C.
Narbad, A. *see* Olasupo, N.A.
Nassib, T.A., El-Din, M.Z. & El-Sharoud, W.M. Assessment of the presence of *Salmonella* spp. in Egyptian dairy products using various detection media, 405
Naterstad, K. *see* Axelsson, L.
Nemcová, R. *see* Štyriak, I.
Nie, L. *see* Wang, G.
Niebuhr, S.E. & Dickson, J.S. Destruction of *Bacillus anthracis* strain Sterne 34F2 spores in postal envelopes by exposure to electron beam irradiation, 17
Nisbet, D.J. *see* Fitzgerald, A.C.
Nishikawa, Y. *see* Wani, S.A.
Noda, K., Watanabe, K. & Maruhashi, K. Isolation and characterization of a transposon mutant of *Pseudomonas aeruginosa* affecting uptake of dibenzothiophene in *n*-tetradecane, 95
Nugaliyadde, L. *see* Paranagama, P.A.
Nuñez, M. *see* Morales, P.
Nuñez, M. *see* Rodríguez, E.

Obiri-Danso, K., Okore-Hanson, A. & Jones, K. The microbiological quality of drinking water sold on the streets in Kumasi, Ghana, 334
Oh, S.H. *see* Park, T.S.
Oh-Uchi, T. *see* Sato, M.
Okore-Hanson, A. *see* Obiri-Danso, K.
Olasupo, N.A., Fitzgerald, D.J., Gasson, M.J. & Narbad, A. Activity of natural antimicrobial compounds against *Escherichia coli* and *Salmonella enterica* serovar Typhimurium, 448
Oliva, B., Piccirilli, E., Ceddia, T., Pontieri, E., Aureli, P. & Ferrini, A.M. Antimycotic activity of *Melaleuca alternifolia* essential oil and its major components, 185
Olofsson, T. *see* Olsson, C.
Olsson, C., Olofsson, T., Ahrné, S. & Molin, G. The *Yersinia* HPI is present in *Serratia liquefaciens* isolated from meat, 275
Onda, T., Yanagida, F., Tsuji, M., Shinohara, T. & Yokotsuka, K. Time series analysis of aerobic bacterial flora during Miso fermentation, 162
Özkanca, R. *see* Darcan, C.

Palacio, G. *see* Magnoli, C.
Palframan, R., Gibson, G.R. & Rastall, R.A. Development of a quantitative tool for the comparison of the prebiotic effect of dietary oligosaccharides, 281
Paranagama, P.A., Abeysekera, K.H.T., Abeywickrama, K. & Nugaliyadde, L. Fungicidal and anti-aflatoxigenic effects of the essential oil of *Cymbopogon citratus* (DC.) Stapf. (lemongrass) against *Aspergillus flavus* Link. isolated from stored rice, 86
Park, D.J. *see* Lee, J.C.
Park, H.D. *see* Kwon, J.A.
Park, H.R. *see* Lee, J.C.
Park, K.H. *see* Park, T.S.
Park, T.S., Oh, S.H., Lee, E.Y., Lee, T.K., Park, K.H., Figueras, M.J. & Chang, C.L. Misidentification of *Aeromonas veronii* biovar sobria as *Vibrio alginolyticus* by the Vitek system, 349
Pastrana, L. *see* Guerra, N.P.
Pearce, M.C. *see* Jenkins, C.
Peccio, A., Autio, T., Korkeala, H., Rosmini, R. & Trevisani, M. *Listeria monocytogenes* occurrence and characterization in meat-producing plants, 234
Pérez-Guevara, F. *see* Alba, J.
Perry, N. *see* Domingue, G.
Piccirilli, E. *see* Oliva, B.
Pinchuk, I.V. *see* Sorokulova, I.B.

Pinheiro, R., Belo, I. & Mota, M. Growth and β-galactosidase activity in cultures of *Kluyveromyces marxianus* under increased air pressure, 438
Pontieri, E. *see* Oliva, B.
Purevdorj, D., Igura, N., Ariyada, O. & Hayakawa, I. Effect of feed gas composition of gas discharge plasmas on *Bacillus pumilus* spore mortality, 31

Qin, G.Z. *see* Wan, Y.K.

Radford, D. *see* Domingue, G.
Ramasamy, P. *see* Vaseeharan, B.
Rapanà, P. *see* Galli, E.
Rastall, R.A. *see* Palframan, R.
Ray, P. *see* Yadav, M.C.
Reddy, G. *see* Tammali, R.
Reis, S.A., Costa, L.V., Cavalcanti, E.D.C., Giambiagi-deMarval, M., Semêdo, L.T.A.S., Coelho, R.R.R., Moussatché, N. & Damaso, C.R.A. Protein synthesis inhibitory activity in culture filtrates from new strains of *Streptomyces* isolated from Brazilian tropical soils, 138
Reva, O.N. *see* Sorokulova, I.B.
Ricke, S.C. *see* Li, X.
Rodríguez, E., Arqués, J.L., Rodríguez, R., Nuñez, M. & Medina, M. Reuterin production by lactobacilli isolated from pig faeces and evaluation of probiotic traits, 259
Rodríguez, R. *see* Rodríguez, E.
Rosmini, R. *see* Peccio, A.
Rowe, M.T. *see* Donaghy, J.A.
Ruiz, C., Javier Pastor, F.I. & Diaz, P. Isolation and characterization of *Bacillus* sp. BP-6 LipA, a ubiquitous lipase among mesophilic *Bacillus* species, 354

Samanta, I. *see* Wani, S.A.
dos Santos, S.C.C. *see* Vollú, R.E.
Sapru, S. *see* Yadav, M.C.
Sarvas, M. *see* Craynest, M.
Sato, M., Tanaka, H., Yamaguchi, R., Oh-Uchi, T. & Etoh, H. *Erythrina poeppigiana*-derived phytochemical exhibiting antimicrobial activity against *Candida albicans* and methicillin-resistant *Staphylococcus aureus*, 81
Sato, T., Matsuyama, J., Kumagai, T., Mayanagi, G., Yamaura, M., Washio, J. & Takahashi, N. Nested PCR for detection of mutans streptococci in dental plaque, 66
Satoh, H. *see* Guan, Y.
Sawai, J. & Yoshikawa, T. Measurement of fungi by an indirect conductimetric assay, 40
Seenayya, G. *see* Tammali, R.
Seldin, L. *see* Vollú, R.E.
Semêdo, L.T.A.S. *see* Reis, S.A.
Shaukat, S.S. *see* Siddiqui, I.A.
Shaw, D.J. *see* Jenkins, C.
Sheridan, J.J. *see* McEvoy, J.M.
Shinohara, T. *see* Onda, T.
Shollenberger, L.M. *see* Liao, C.-H.
Siddiqui, I.A. & Shaukat, S.S. Non-pathogenic *Fusarium solani* represses the biosynthesis of nematicidal compounds *in vitro* and reduces the biocontrol of *Meloidogyne javanica* by *Pseudomonas fluorescens* in tomato, 109
Smirnov, V.V. *see* Sorokulova, I.B.
Smith, A.W. *see* Jenkins, C.
Smith, H.R. *see* Domingue, G.
Smith, H.R. *see* Jenkins, C.
Soliva, C.R., Hindrichsen, I.K., Meile, L., Kreuzer, M. & Machmüller, A. Effects of mixtures of lauric and myristic acid on rumen methanogens and methanogenesis *in vitro*, 35
Sorokulova, I.B., Reva, O.N., Smirnov, V.V., Pinchuk, I.V., Lapa, S.V. & Urdaci, M.C. Genetic diversity and involvement in bread spoilage of *Bacillus* strains isolated from flour and ropy bread, 169
Soultos, N., Koidis, P. & Madden, R.H. Presence of *Listeria* and *Salmonella* spp. in retail chicken in Northern Ireland, 421
Spizek, J. *see* Hola, K.
Stampi, S. *see* Zanetti, F.
Standaert, A.R. *see* Francois, K.
Steadham, S.R. *see* Ziemer, C.J.
Štyriak, I., Nemcová, R., Chang, Y.-H. & Ljungh, Å. Binding of extracellular matrix molecules by probiotic bacteria , 329
Sugano, N. *see* Kumagai, K.
Suzuki, K. *see* Kumagai, K.

Takahashi, N. *see* Sato, T.
Takane, M. *see* Kumagai, K.
Takano, K. *see* Nakagawa, T.
Tammali, R., Seenayya, G. & Reddy, G. Fermentation of cellulose to acetic acid by *Clostridium lentocellum* SG6: induction of sporulation and effect of buffering agent on acetic acid production, 304
Tan, H. *see* Wang, G.
Tanaka, H. *see* Kumagai, K.
Tanaka, H. *see* Sato, M.
Tarlazzi, P. *see* Zanetti, F.
Taylor, R.K. & Hale, C.N. Cold storage affects survival and growth of *Erwinia amylovora* on the calyx of apple, 340
Thomas, J.D. *see* Fitzgerald, A.C.

Thuler, D.S., Floh, E.I.S., Handro, W. & Barbosa, H.R. Plant growth regulators and amino acids released by *Azospirillum* sp. in chemically defined media, 174
Tian, S.P. *see* Wan, Y.K.
Toit, M.Du., Dicks, L.M.T. & Holzapfel, W.H. Identification of heterofermentative lactobacilli isolated from pig faeces by numerical analysis of total soluble cell protein patterns and RAPD-PCR, 12
Tomizuka, N. *see* Nakagawa, T.
Totton, N.L. *see* Donaghy, J.A.
Trevisani, M. *see* Peccio, A.
Tsuchido, T. *see* Jagannath, A.
Tsuji, M. *see* Onda, T.

Uchino, M. *see* Nakagawa, T.
Urdaci, M.C. *see* Sorokulova, I.B.
Uyttendaele, M., Vanwildemeersch, K. & Debevere, J. Evaluation of real-time PCR vs automated ELISA and a conventional culture method using a semi-solid medium for detection of *Salmonella*, 386

Van Impe, J.F. *see* Francois, K.
Vanderlinde, P.B. *see* Dykes, G.A.
Vanwildemeersch, K. *see* Uyttendaele, M.
Vaseeharan, B., Jayakumar, R. & Ramasamy, P. PCR-based detection of white spot syndrome virus in cultured and captured crustaceans in India, 443
Vázquez, J.A., González, M.P. & Murado, M.A. Substrate inhibition of *Pediococcus acidilactici* by glucose on a waste medium. Simulations and experimental results, 365
Vegar, M. *see* Dykes, G.A.
Vesey, G. *see* Warnecke, M.
Violante, M. *see* Magnoli, C.
Vollú, R.E., dos Santos, S.C.C. & Seldin, L. 16S rDNA targeted PCR for the detection of *Paenibacillus macerans*, 415
van de Vossenberg, J.L.C.M. & Joblin, K.N. Biohydrogenation of C18 unsaturated fatty acids to stearic acid by a strain of *Butyrivibrio hungatei* from the bovine rumen, 424

Wan, Y.K., Tian, S.P. & Qin, G.Z. Enhancement of biocontrol activity of yeasts by adding sodium bicarbonate or ammonium molybdate to control postharvest disease of jujube fruits, 249
Wang, G., Nie, L. & Tan, H. Cloning and characterization of *sanO*, a gene involved in nikkomycin biosynthesis in *Streptomyces ansochromogenes*, 452
Wang, P.H., Wang, Y.T. & White, J.G. Species-specific PCR primers for *Pythium* developed from ribosomal ITS1 region, 127
Wang, Y.T. *see* Wang, P.H.
Wani, S.A., Bhat, M.A., Samanta, I., Nishikawa, Y. & Buchh, A.S. Isolation and characterization of Shiga toxin-producing *Escherichia coli* (STEC) and enteropathogenic *Escherichia coli* (EPEC) from calves and lambs with diarrhoea in India, 121
Wareing, D.R.A. *see* Duncanson, P.
Warnecke, M., Weir, C. & Vesey, G. Evaluation of an internal positive control for *Cryptosporidium* and *Giardia* testing in water samples, 244
Washio, J. *see* Sato, T.
Watanabe, K. *see* Noda, K.
Weir, C. *see* Warnecke, M.
White, J.G. *see* Wang, P.H.
Willshaw, G.A. *see* Domingue, G.
Wiseman, A. Novel cytochromes P450 applications arising from the directed-evolution of recombinant micro-organisms, 264

Yadav, M.C., Chakraborti, A., Ray, P., Sapru, S., Majumdar, S. & Narang, A. Rapid detection of *Haemophilus influenzae* by *hel* gene polymerase chain reaction, 190
Yamaguchi, R. *see* Sato, M.
Yamaura, M. *see* Sato, T.
Yanagida, F. *see* Onda, T.
Yokotsuka, K. *see* Onda, T.
Yoshikawa, T. *see* Sawai, J.
Yoshinuma, N. *see* Kumagai, K.
Yousefi, Z. *see* Davies, C.M.
Yu, C.B. *see* Kwon, J.A.

Zanetti, F., De Luca, G., Tarlazzi, P. & Stampi, S. Decontamination of dental unit water systems with hydrogen peroxide, 201
Ziemer, C.J. & Steadham, S.R. Evaluation of the specificity of *Salmonella* PCR primers using various intestinal bacterial species, 463

Index of Subjects

16S–23S rDNA internal spacer region of *M. luteus* 314
16S rDNA-targeted PCR for detection of *Paenibacillus macerans* 415

absorbent resin, teicoplanin production using 196
acetic acid fermentation, effect of buffering agent on 304
Actinoplanes teicomyceticus production of teicoplanin 196
activated sludge, quantification of Type 021N in 100
Aeromonas veronii biovar sobria, misidentification of 349
air pressure effects on batch cultures of *K. marxianus* 438
amino acids released by *Azospirillum* spp. 174
ammonium molybdate in yeast biocontrol activity 249
anti-aflotoxigenic effects of lemongrass oil 86
anti-candidal activity of erypostyrene 81
antibodies to R3 core of *E. coli* O157 LPS 429
antifungal activity of flurbiprofen 158
antimicrobial activity
  of cinnamic aldehyde 55
  of enterocin CRL35 374
  erypostyrene 81
  of genetically modified filamentous phage 318
  natural organic compounds 448
antimicrobial resistance of food-borne pathogens in dairy cattle 392
Aspergillus spp.
  A. flavus, lemongrass oil against 86
  A. section Nigri, ochratoxin production by 179
Auricualria polytricha, copper biosorption by 133
automated techniques
  ELISA in *Salmonella* detection 386
  image analysis of bead ingestion 230
  immunomagnetic separation–enzyme immunoassay (AIMS–EIA) 144
Azospirillum spp., plant growth regulators/amino acids from 174

β-galactosidase
  activity under increased air pressure 438
  cold-active, from psychrophiles 154
Bacillus spp.
  B. anthracis Sterne 34F2 spores, irradiation of 17
  B. cereus, effects of cinnamic aldehyde on 55
  B. licheniformis protein secretion 75
  B. pumilis spores, plasma sterilization of 31
  B. subtilis spores in milk, modelling of 399
  Bacillus sp. BP-6, bacterial lipase from 354
  in bread spoilage 169
bacteria
  analysis of aerobic flora in Miso fermentation 162
  filamentous Type 021N quantification 100
  preservation, long-term, in water/saline 45
bacterial lipase from *Bacillus* sp. BP-6 354
bactericidal activity
  of cinnamic aldehyde 55
  of genetically modified filamentous phage 318
bacteriocins
  effects of ions on activity 374
  effects of pH on production 51
  genes in *L. sakei* 115
bacteriophage therapy 318
Bactometer measurement of fungi 40
bead ingestion counts in *T. pyriformis* 230
binding of extracellular matrix molecules by probiotics 329
biocontrol
  activity of yeasts, enhancement of 249
  of *M. javanica* by *Ps. fluorescens* 109
biodegradation of paint thinner by *S.brevicaulis* 7
biohydrogenation of fatty acids in rumen 429
biosorption
  copper by *Auricularia polytricha* 133
  Ni(II) by MLID 149
  silver nitrate by *Phoma* 105
biosynthesis
  of nematicidals repressed by *F. solani* 109
  of nikkomycin, gene related to 452
bovine hide, steam decontamination of 344
bread spoilage involving *Bacillus* spp. 169
Butyrivibrio hungatei in ruminal stearic acid formation 424

calves, STEC/EPEC isolation from 121
Candida albicans
  activity of erypostyrene against 81
  flurbiprofen against 158
carvacrol, antimicrobial activity of 448
caseinolysis in cheese by Enterobacteriaceae 410
cattle
  bovine hide, steam decontamination of 344
  dairy, and food-borne pathogens 392
cell separation inhibition by cinnamic aldehyde 55
cellulose fermentation by *Cl. lentocellum* SG6 304
cellulose-paint thinner, biodegradation of 7
cheese, *M. paratuberculosis* recovery from 285
Chlorella sorokiniana in MLID 149
cinnamic acid, antimicrobial activity of 448
cinnamic aldehyde effects on *B. cereus* 55
cloning/characterization of *sanO* gene 452
Clostridium lentocellum SG6 304
cold-active β-galactosidase 154
cold storage survival/growth of *Erwinia amylovora* 340
coliphages in urban stormwater 299
copper biosorption by *Auricualria polytricha* 133

Cryptosporidium
detection by flow cytometry 218
water testing, internal positive control for 244
culture media
for *M. paratuberculosis* recovery from cheese 285
for *Salmonella* detection 405
cyclodextrin glucosyltransferase secretion 75
Cymbopogon citratus essential oil 86
cytochromes
outer membrane
cell surface exposure of 254
in Mn(IV) oxide reduction 21
P450 applications from directed evolution 264
see also outer membrane cytochromes

Daion HP-20 in teicoplanin production 196
dairy products
cheese caseinolysis by Enterobacteriaceae 410
cheese, *M. paratuberculosis* recovery from 285
detection of *Salmonella* spp. 405
decontamination
bovine hide 344
dental units with hydrogen peroxide 201
degradation of paint thinner by *S.brevicaulis* 7
dental plaque, detection of mutans streptococci in 66
dental unit water system decontamination 201
deoxynivalenol production 70
dermatophytes, flurbiprofen against 158
detection
E. coli O157:H7 by direct PCR 239
E. coli using IMS and PCR/DNA probes 207
Listeria in chicken 421
mutans streptococci in dental plaque 66
rapid PCR, of *Haemophilus influenzae* 190
real-time PCR *vs* automated ELISA for *Salmonella* 386
S. anginosus in saliva 370
Salmonella spp.
in chicken 421
using AIMS– EIA 144
using detection media 405
white spot syndrome virus in crustaceans 443
Yersinia pestis by multiplex PCR 361
diacetyl, antimicrobial activity of 448
dibenzothiophene uptake of *Ps. aeruginosa* mutant 95
dietary oligosaccharides, quantitative tool for prebiotic effect of 281
direct nucleotide sequencing of *M. luteus* 314
directed evolution, cytochromes P450 applications from 264
dltA and protein synthesis 75
DNA-based subtyping of *E. coli* O128ab:H2 433
dsz gene transfer 95

Enterobacteriaceae, caseinolysis in cheese by 410
enterocin CRL35 antibiotic activity, inhibition of 374
Enterococcus faecium thermal inactivation 475
Erwinia amylovora, cold storage survival/growth of 340
erypostyrene, anti-candidal and anti-MRSA activity of 81
Erythrina poeppigiana-derived antimicrobial 81
Escherichia coli
activity of natural antimicrobials 448
enteropathogenic (EPEC), isolation from calves/lambs 121
lysA targeted deletion mutant, construction of 458
O128ab:H2 from human and raw meat sources 433
O157 R3-core LPS, human antibody reactions to 429
O157:H7
heat resistance compared to beef microflora 292
inactivation by NEW 482
PCR detection 239
shedding in dairy cattle 392
porin-deficient, survival of, in black sea water 380
Shiga toxin-producing (STEC)
isolation from calves/lambs 121
see also Escherichia coli, O157:H7
verocytotoxin-producing (VTEC)
detection using IMS and PCR/DNA probes 207
DNA-based subtyping of O128ab:H2 429
see also Escherichia coli, O157
eugenol, antimicrobial activity of 448
extracellular matrix binding by probiotic bacteria 329

fatty acids and *in vitro* methanogenesis 35
fermentation
cellulose to acetic acid by *Cl. lentocellum* SG6 304
Miso, aerobic flora analysis of 162
fire blight and cold storage of apples 340
FISH *see* fluorescence *in situ* hybridization
fish farming and microbial densities/enzyme activities 324
flow cytometry detection of *Cryptosporidium/Giardia* 218
Cryptosporidium/Giardia by flow cytometry 218
fluorescence *in situ* hybridization (FISH) Type 021N quantification in activated sludge 100
flurbiprofen, antifungal activity of 158
food-borne pathogens
in chicken 421
in dairy cattle 392
heat resistance compared to beef microflora 292
inactivation by neutral electrolyzed water 482
food spoilage
Bacillus spp. bread spoilage 169
fire blight and cold storage of apples 340

post-harvest jujube fruit disease, biocontrol of 249
tomato spoilage biocontrol repressed by fungi 109
fungi
filamentous, *Phoma*, silver nanoparticle production by 105
measurement by indirect conductimetry 40
fungicidal effects of lemongrass oil 86
Fusarium spp.
F. culmorum mycotoxin production 70
F. solani repressing biosynthesis of nematicidals by *Ps. fluorescens* 109

gas discharge plasmas and spore mortality 31
gene expression system, inducible, for *L. sakei* 115
genetic variation of 16S–23S rDNA ISR of *M. luteus* 314
genetically modified filamentous phage as bactericidal agents 318
Giardia
detection by flow cytometry 218
water testing, internal positive control for 244
growth temperature and thermal inactivation in *E. faecium* 475

Haemophilus influenzae, rapid PCR detection of 190
heat resistance
B. subtilis spores in milk, modelling of 399
beef microflora compared to pathogens 292
E. faecium 475
hel gene in *H. influenzae* PCR detection 190
high pathogenicity island (HPI) in *S. liquifasciens* 275
hydrogen peroxide in dental unit decontamination 201

identification
of lactobacilli from pig faeces 13
misidentification of *Aeromonas veronii* biovar sobria by Vitek system 349
immunomagnetic separation–enzyme immunoassay 144
immunomagnetic separation in *E. coli* detection 207
indirect conductimetry for measurement of fungi 40
internal positive control for *Cryptosporidium/Giardia* water testing 244
ions, effect on bacteriocin activity of 374
irradiation of *B. anthracis* spores in postal envelopes 17
isolating single cells, protocol development for 26

Kluyveromyces marxianus under increased air pressure 438

lactic acid bacteria in pig caecum/rectum 213
Lactobacillus spp.
L. reuteri as potential probiotic bacteria 259
L. ruminis in pig caecum/rectum 213
L. sakei, gene expression system, inducible, for 115
Lactococcus lactis bacteriocin production and pH 51
lag phase modelling 26
lambs, STEC/EPEC isolation from 121
lauric acid and *in vitro* methanogenesis 35
leather quality and steam decontamination 344
lemongrass oil, fungicidal/anti-aflotoxigenic effects of 86
lincomycin production in *S. lincolnensis* 470
lipase, bacterial from *Bacillus* sp. BP-6 354
lipopolysaccharide R3 core of *E. coli* O157, antibodies to 429
Listeria spp.
in chicken 421
L. monocytogenes
heat resistance compared to beef microflora 292
inactivation by NEW 482
quantification of, on cooked prawns 309
LmbJ/LmblH protein levels in *S. lincolnensis* 470
luffa sponge in MLID 149
lysA targeted deletion mutant of *E. coli* 458
lysine assay, generation of *E. coli* mutant for 458

manganese(IV) oxide reduction by outer membrane cytochromes 21
Mediterranean fish farming and microbial activities 324
Meloidogyne javanica biocontrol repressed by *F. solani* 109
methanogenesis, *in vitro*, with lauric/myristic acid 35
microalgal–luffa sponge immobilized disc as Ni(II) biosorbent 149
microbial densities/enzyme activities and fish farming 324
microbial quality of hand-packed drinking water 334
Micrococcus luteus, 16S–23S rDNA internal spacer region of 314
misidentification of *Aeromonas veronii* biovar sobria by Vitek system 349
Miso fermentation, aerobic flora analysis of 162
Mycobacterium paratuberculosis recovery from cheese 285
mycoflora of wine grapes in Argentina 179
myristic acid and *in vitro* methanogenesis 35

natural antimicrobials 448
nested PCR for detection of mutans streptococci 66
neutral electrolyzed water (NEW) inactivation of food-borne pathogens 482
nikkomycin biosynthesis, gene related to 452
nisin
antimicrobial activity 448
production and pH 51
nivalenol production 70

ochratoxin production by mycoflora of wine grapes 179
outer membrane cytochromes
cell surface exposure of 254
in Mn(IV) oxide reduction 21

outer membrane proteins and sea-water survival of *E. coli* 380

Paenibacillus macerans, detection of 415
particle dispersion for protozoan detection 218
PCR
  16S rDNA-targeted, for detection of *Paenibacillus macerans* 415
  detection of *E. coli* O157:H7 239
  detection of WSSV in crustaceans 443
  long-PCR for *E. coli* o128ab:H2 433
  multiplex
    detection of *Listeria*/*Salmonella* in chicken 421
    plague outbreak, study of 361
    STEC/EPEC characterization 121
  nested, for detection of mutans streptococci 66
  PCR/DNA probes in *E. coli* detection 207
  RAPD-PCR
    identification of *Bacillus* in bread spoilage 169
    identification of lactobacilli from pig faeces 13
  rapid detection *Haemophilus influenzae* 190
  real-time
    detection of *Strep. anginosus* in saliva 370
    vs automated ELISA for *Salmonella* detection 386
  species-specific primers 127, 415, 465
pediocin production
  and pH 51
  and substrate inhibition 365
Pediococcus acidilactici
  bacteriocin production 51
  substrate inhibition by glucose 365
periodontitis and *Strep. anginosus* 370
pH and nisin/pediocin production 51
phage, genetically modified filamentous, as bactericidal agents 318
Phoma sp.3.2883, silver nanoparticle production by 105
phosphate-buffered saline, survival of bacteria in 45
pig caecum/rectum, lactic acid bacteria in 213
pig faeces
  identification of lactobacilli from 13
  reuterin production by lactobacilli from 259
plague outbreak, multiplex PCR study of 361
plant growth regulators from *Azospirillum* spp. 174
plasma sterilization of *B. pumilis* spores 31
polynomial regression model of thermal inactivation of spores 399
polysaccharide composition of *S. cerevisiae* cell wall 268
porin-deficient *E. coli* survival in black sea water 380
postal envelopes, *B. anthracis* spore irradiation in 17
prebiotic index development for dietary oligosaccharides 281
predictive modelling of thermal inactivation of spores 399
preservation, long-term, of bacteria in water/saline 45
probiotic bacteria
  binding of extracellular matrix molecules 329
  L. reuteri as potential 259
Pseudomonas spp.
  Ps. aeruginosa DBT uptake mutant 95
  Ps. fluorescens biocontrol of *M. javanica* repressed by *F. solani* 109
psychrophiles producing cold-active β-galactosidase 154
pulsed field gel electrophoresis (PFGE) 433
Pythium species-specific PCR primers 127

quantification
  Listeria spp. on cooked prawns 309
  quantitative tool for prebiotic effect of dietary oligosaccharides 281
  Type 021N in activated sludge 100

RAPD-PCR identification of lactobacilli from pig faeces 13
recombinant micro-organisms and cytochromes P450 264
reuterin production by *Lactobacillus reuteri* 259
rumen methanogens and lauric/myristic acid 35
ruminal stearic acid formation 424

Saccharomyces cerevisiae cultivation and cell wall characteristics 268
sakacin A genes for *L. sakei* 115
Salmonella spp.
  in chicken 421
  detection using AIMS–EIA 144
  in Egyptian dairy products 405
  heat resistance compared to beef microflora 292
  real-time PCR *vs* automated ELISA for detection 386
  S. enteritidis inactivation by NEW 482
  S. Typhimurium, activity of natural antimicrobials against 448
  shedding in dairy cattle 392
sanO gene, cloning/characterization of 452
Scopulariopsis brevicaulis degradation of paint thinner 7
seafood
  fish farming and microbial activities 324
  quantification of *Listeria* spp. on cooked prawns 309
  white spot syndrome virus in crustaceans 443
Serratia liquifasciens, *Yersinia* HPI present in 275
Shewanella oneidensis MR1
  cell surface exposure of OM cytochromes 254
  reduction of Mn(IV) oxide by OM cytochromes 21
silver nanoparticle production by *Phoma* from silver nitrate 105

sodium bicarbonate in yeast biocontrol activity 249
species-specific primers
for *Paenibacillus macerans* 415
for *Pythium* 127
for *Salmonella*, evaluation of 465
spores, thermal inactivation of *B. subtilis*, in milk 399
sporulation induction in *Cl. lentocellum* SG6 304
Staphylococcus aureus
activity of erypostyrene against 81
flurbiprofen against 158
steam decontamination of bovine hide 344
streptococci, mutans, in dental plaque 66
Streptococcus anginosus detection in saliva 370
Streptomyces spp.
protein synthesis inhibition by 138
S. ansochromogenes and nikkomycin biosynthesis 452
S. lincolnensis LmbJ/LmblH protein levels 470
substrate inhibition of *P. acidilactici* by glucose 365
survival
bacteria in water/saline 45
Erwinia amylovora in cold storage 340
porin-deficient E. coli in black sea water 380

targeted deletion mutant of *E. coli* 458
teichoic acid D-alanylation and protein secretion 75
teicoplanin production using absorbent resin 196
Tetrahymena pyriformi, bead ingestion in 230
thermal inactivation
B. subtilis spores in milk, modelling of 399
E. faecium 475
see also heat resistance
thymol, antimicrobial activity of 448
tomatoes
inactivation of food-borne pathogens on 482
spoilage biocontrol repressed by fungi 109
translation inhibition by *Streptomyces* strains 138
transposon mutant of *Ps. aeruginosa* affecting DBT uptake 95
two-dimensional profiles of mycotoxins 70
Type 021N quantification in activated sludge by FISH 100

Vibrio alginolyticus, *Aeromonas* misidentified as 349
Vitek system misidentification of *Aeromonas* 349

water
coliphages in urban stormwater 299
dental unit decontamination with hydrogen peroxide 201
drinking, hand-packed, microbial quality of 334
sea water, porin-deficient *E. coli* survival in 380
survival/preservation of bacteria in 45
white spot syndrome virus in crustaceans 443

yeasts
biocontrol activity enhancement 249
cultivation and cell wall composition/integrity 268
Yersinia spp.
Y. HPI in *S. liquifasciens* isolated from meat 275
Y. pestis 361